

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A method for determining the influencing of the state of polarization of optical radiation by an optical system ~~under test, in which~~ comprising
directing entrance-side radiation with a defined entrance state of polarization ~~is directed~~ onto the optical system,
measuring the exit state of polarization ~~is measured~~ by radiation emerging from the optical system, and
determining the influencing of the state of polarization by the optical system ~~is determined~~ by means of evaluating the measured exit state of polarization with reference to the entrance state of polarization,
wherein the influencing of the state of polarization caused by ~~an~~ the optical ~~imaging~~ system of prescribable aperture is determined with pupil resolution; and
wherein an associated ellipsometric measurement is carried out.

2. (currently amended): A method according to Claim 1, wherein the defined entrance state of polarization is provided in an object plane of the ~~imaging~~ optical system, and the exit

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579

U.S. Application No. 10/628,431

state of polarization is measured with pupil resolution within a prescribable pupil range of the ~~imaging~~ optical system.

3. (currently amended): A method according to Claim 1, wherein a spatially incoherent point light radiation emanating from the object plane of the ~~imaging~~ optical system is provided as entrance-side radiation.

4. (currently amended): A method according to Claim 1, wherein ~~the~~ ~~evaluation~~ evaluating the measured exit state of polarization includes a determination of the phase-reduced Jones matrix, ~~and an associated ellipsometric measurement is carried out.~~

5. (currently amended): A method according to Claim 1, wherein ~~the provision~~ ~~of~~ directing entrance side radiation with the defined entrance state of polarization, ~~the~~ ~~measurement of~~ measuring the exit state of polarization and ~~the evaluation~~ evaluating the measured exit state of polarization include a shearing interferometric measurement or a point diffraction interferometric measurement.

6. (original): A method according to Claim 5, wherein the result of the shearing interferometric measurement or of the point-diffraction interferometric measurement is subjected to a downstream polarization analysis.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

7. (withdrawn): A method for image correction, wherein the distortion of a pupil image by an optical imaging system of prescribable aperture is determined by at least one of optical computation and measurement acquisition, and is corrected computationally.

8. (currently amended): An apparatus for determining the influencing of the state of polarization of optical radiation by an optical system ~~under test~~, ~~having comprising~~:

means for providing entrance-side radiation, directed onto the optical system, with a defined entrance state of polarization,

polarization detector means for measuring the exit state of polarization of radiation emerging from the optical system, and

an evaluation unit for determining the influencing of the state of polarization by the optical system by means of evaluating the measured exit state of polarization with reference to the entrance state of polarization,

wherein

the polarization detector means ~~are~~ is configured to measure the exit state of polarization with pupil resolution; ~~and~~

the evaluation unit is configured to determine the influencing of the state of polarization with pupil resolution;

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579

U.S. Application No. 10/628,431

the means for providing the entrance-side radiation includes a perforated mask in an object plane of the optical system and a first polarization means, upstream from the perforated mask; and

the first polarization means includes a polarizer unit and/or a compensator unit in serial arrangement, which can be set to various spatial orientations.

9. (cancelled).

10. (cancelled).

11. (currently amended): An apparatus according to Claim 9, wherein the means for providing the entrance-side radiation includes a diffusing screen in front of the first polarization means.

12. (currently amended): An apparatus according to Claim 8, wherein the polarization detector means includes a CCD detector and ~~upstream~~ a second polarization means, upstream from the CCD detector.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

13. (original): An apparatus according to Claim 8, wherein the polarization detector means includes a shearing interferometer unit or a point-diffraction interferometry unit.

14. (original): An apparatus according to Claim 8, wherein the evaluation unit is configured for determining the phase-reduced or complete, pupil-resolved Jones matrix.

15. (withdrawn): A polarization analyser arrangement comprising the following elements arranged one after another in the beam path:

a periodic structure,

a beam-shaping unit,

a compensator polarizer unit, and

a polarization analyser element.

16. (withdrawn): The polarization analyser arrangement according to Claim 15, wherein the polarization analyser element comprises a polarization beam splitter element.

17. (withdrawn): A polarization analyser arrangement according to Claim 15, wherein the beam shaping unit comprises at least one optical element selected from the group consisting

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579

U.S. Application No. 10/628,431

of: at least one spherical refractive lens, at least one aspheric refractive lens, at least one diffractive lens, at least one spherical mirror element, and at least one aspheric mirror element.

18. (withdrawn): A polarization analyser arrangement according to Claim 15, further comprising a detector element coupled to the periodic structure and arranged after the polarization analyser element, wherein the periodic structure moves laterally with the detector element.

19. (withdrawn): A polarization analyser arrangement according to Claim 15, further comprising a detector element coupled to the periodic structure and arranged after the polarization analyser element, wherein the periodic structure moves laterally relative to the detector element.

20. (withdrawn): A polarization analyser arrangement according to Claim 15, configured as a polarization detector means on the image side of an optical imaging system to be tested.

21. (withdrawn): A polarization analyser arrangement according to Claim 15, configured as a polarization preparation means on the object side of an optical imaging system to be tested.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

22. (withdrawn): A polarization analyser arrangement comprising the following elements arranged one behind another in the beam path:

a beam-shaping unit,

a compensator polarizer unit which comprises a plurality of compensator elements which are fixedly arranged with directions of polarization rotated relative to one another, and

a polarization analyser element.

23. (withdrawn): The polarization analyser arrangement according to Claim 22, wherein the polarization analyser element comprises a polarization beam splitter element.

24. (withdrawn): A polarization analyser arrangement according to Claim 22, wherein the beam shaping unit comprises at least one optical element selected from the group consisting of: at least one spherical refractive lens, at least one aspheric refractive lens, at least one diffractive lens, at least one spherical mirror element, and at least one aspheric mirror element.

25. (withdrawn): A polarization analyser arrangement according to Claim 22, configured as a polarization detector means on the image side of an optical imaging system to be tested.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

26. (withdrawn): A polarization analyser arrangement according to Claim 22, configured as a polarization preparation means on the object side of an optical imaging system to be tested.

27. (cancelled).

28. (new): A method for determining the influencing of the state of polarization of optical radiation by an optical system, comprising:

directing entrance-side radiation with a defined entrance state of polarization onto the optical system,

measuring the exit state of polarization by radiation emerging from the optical system, and

determining the influencing of the state of polarization by the optical system by means of evaluating the measured exit state of polarization with reference to the entrance state of polarization,

wherein the influencing of the state of polarization caused by the optical system of prescribable aperture is determined with pupil resolution; and

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

wherein a spatially incoherent point light radiation emanating from the object plane of the optical system is provided as entrance-side radiation.

29. (new): A method according to Claim 28, wherein the defined entrance state of polarization is provided in an object plane of the optical system, and the exit state of polarization is measured with pupil resolution within a prescribable pupil range of the optical system

30. (new): A method according to Claim 28, wherein evaluating the measured exit state of polarization includes a determination of the phase-reduced Jones matrix; and
an associated ellipsometric measurement is carried out.

31. (new): A method according to Claim 28, wherein directing entrance side radiation with the defined entrance state of polarization, measuring of the exit state of polarization and evaluating the measured exit state of polarization include a shearing interferometric measurement or a point diffraction interferometric measurement.

32. (new): A method according to Claim 31, wherein the result of the shearing interferometric measurement or of the point-diffraction interferometric measurement is subjected to a downstream polarization analysis.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

33. (new): An apparatus for determining the influencing of the state of polarization of optical radiation by an optical system, comprising:

means for providing entrance-side radiation, directed onto the optical system, with a defined entrance state of polarization,

polarization detector means for measuring the exit state of polarization of radiation emerging from the optical system, and

an evaluation unit for determining the influencing of the state of polarization by the optical system by means of evaluating the measured exit state of polarization with reference to the entrance state of polarization,

wherein

the polarization detector means are configured to measure the exit state of polarization with pupil resolution;

the evaluation unit is configured to determine the influencing of the state of polarization with pupil resolution; and

the means for providing the entrance-side radiation includes a perforated mask in an object plane of the optical system and a first polarization means, upstream of the perforated mask.

AMENDMENT UNDER 37 C.F.R. § 1.111Q76579
U.S. Application No. 10/628,431

34. (new): An apparatus according to Claim 33, wherein the means for providing the entrance-side radiation includes a diffusing screen in front of the first polarization means.

35. (new): An apparatus according to Claim 33, wherein the polarization detector means includes a CCD detector and a second polarization means upstream from the CCD detector.

36. (new): An apparatus according to Claim 33, wherein the polarization detector means includes a shearing interferometer unit or a point-diffraction interferometry unit.

37. (new): An apparatus according to Claim 33, wherein the evaluation unit is configured for determining the phase-reduced or complete, pupil-resolved Jones matrix.